

```
* 09:54:35 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"  
* 09:54:35 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 272: Handling account "1613"  
* 09:54:46 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:  
365: Progress by id 00000002 not found  
* 09:54:46 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/  
transaction.c: 5032: List missing  
* 09:54:47 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'  
in cast to 'GtkWindow'  
* 09:54:47 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==  
NULL || GTK_IS_WINDOW (parent)' failed  
* 09:54:47 ERROR <Gtk> gtk_dialog_set_default_response: assertion  
'GTK_IS_DIALOG (dialog)' failed  
* 09:54:47 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG  
(dialog)' failed  
* 09:54:47 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET  
(widget)' failed  
* 09:56:10 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"  
* 09:56:10 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"  
* 09:56:13 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:  
365: Progress by id 00000002 not found  
* 09:56:13 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/  
transaction.c: 5032: List missing  
* 09:56:14 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'  
in cast to 'GtkWindow'  
* 09:56:14 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==  
NULL || GTK_IS_WINDOW (parent)' failed  
* 09:56:14 ERROR <Gtk> gtk_dialog_set_default_response: assertion  
'GTK_IS_DIALOG (dialog)' failed  
* 09:56:14 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG  
(dialog)' failed  
* 09:56:14 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET  
(widget)' failed  
* 09:57:16 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"  
* 09:57:16 ERROR <> /Users/john/Development/Gnucash-Build/  
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/  
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"
```

```
* 09:57:19 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:
365: Progress by id 00000002 not found
* 09:57:19 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/
transaction.c: 5032: List missing
* 09:57:19 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'
in cast to 'GtkWindow'
* 09:57:19 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==
NULL || GTK_IS_WINDOW (parent)' failed
* 09:57:19 ERROR <Gtk> gtk_dialog_set_default_response: assertion
'GTK_IS_DIALOG (dialog)' failed
* 09:57:19 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG
(dialog)' failed
* 09:57:19 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET
(widget)' failed
* 09:58:31 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"
* 09:58:31 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"
* 09:58:33 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:
365: Progress by id 00000002 not found
* 09:58:33 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/
transaction.c: 5032: List missing
* 09:58:33 WARN <gnc.engine> Got a NULL guid_list but the
QofGuidMatch is not MATCH_NULL (but instead 1). In other words, the
list of GUID matches is empty but it must contain something non-empty.
* 09:58:33 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'
in cast to 'GtkWindow'
* 09:58:33 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==
NULL || GTK_IS_WINDOW (parent)' failed
* 09:58:33 ERROR <Gtk> gtk_dialog_set_default_response: assertion
'GTK_IS_DIALOG (dialog)' failed
* 09:58:33 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG
(dialog)' failed
* 09:58:33 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET
(widget)' failed
* 09:58:50 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"
* 09:58:50 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"
* 09:58:53 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:
365: Progress by id 00000002 not found
```

```
* 09:58:53 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/
transaction.c: 5032: List missing
* 09:58:53 WARN <gnc.engine> Got a NULL guid_list but the
QofGuidMatch is not MATCH_NULL (but instead 1). In other words, the
list of GUID matches is empty but it must contain something non-empty.
* 09:58:53 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'
in cast to 'GtkWindow'
* 09:58:53 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==
NULL || GTK_IS_WINDOW (parent)' failed
* 09:58:53 ERROR <Gtk> gtk_dialog_set_default_response: assertion
'GTK_IS_DIALOG (dialog)' failed
* 09:58:53 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG
(dialog)' failed
* 09:58:53 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET
(widget)' failed
* 09:59:12 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"
* 09:59:12 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"
* 09:59:19 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:
365: Progress by id 00000002 not found
* 09:59:19 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/
transaction.c: 5032: List missing
* 09:59:19 WARN <gnc.engine> Got a NULL guid_list but the
QofGuidMatch is not MATCH_NULL (but instead 1). In other words, the
list of GUID matches is empty but it must contain something non-empty.
* 09:59:19 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'
in cast to 'GtkWindow'
* 09:59:19 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==
NULL || GTK_IS_WINDOW (parent)' failed
* 09:59:19 ERROR <Gtk> gtk_dialog_set_default_response: assertion
'GTK_IS_DIALOG (dialog)' failed
* 09:59:19 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG
(dialog)' failed
* 09:59:19 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET
(widget)' failed
* 09:59:55 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 355: Handling user "t6a83ooi"
* 09:59:55 ERROR <> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/plugins/backends/
aqofxconnect/provider_sendcmd.c: 272: Handling account "1615"
* 09:59:58 ERROR <gwenhywfar> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/gwenhywfar-5.7.2/src/gui/gui_dialogs.c:
365: Progress by id 00000002 not found
```

```
* 09:59:58 ERROR <aqbanking> /Users/john/Development/Gnucash-Build/
Gnucash-4-10.13-x86_64/src/aqbanking-6.3.2/src/libs/aqbanking/types/
transaction.c: 5032: List missing
* 09:59:58 WARN <gnc.engine> Got a NULL guid_list but the
QofGuidMatch is not MATCH_NULL (but instead 1). In other words, the
list of GUID matches is empty but it must contain something non-empty.
* 09:59:58 WARN <GLib-GObject> invalid uninstanciatable type '(NULL)'
in cast to 'GtkWindow'
* 09:59:58 ERROR <Gtk> gtk_message_dialog_new: assertion 'parent ==
NULL || GTK_IS_WINDOW (parent)' failed
* 09:59:58 ERROR <Gtk> gtk_dialog_set_default_response: assertion
'GTK_IS_DIALOG (dialog)' failed
* 09:59:58 ERROR <Gtk> gtk_dialog_run: assertion 'GTK_IS_DIALOG
(dialog)' failed
* 09:59:58 ERROR <Gtk> gtk_widget_destroy: assertion 'GTK_IS_WIDGET
(widget)' failed
```